

Whispering Farms Phase II & III
 Driveway Culvert Specifications

3/1/2006 10:45

Blk #	Lot #	Q Cap (cfs)	Culvert Size (in)	Culvert Slope (%)	
A	16	19.87	18"	3.58	
A	17	7.43	18"	0.5	
A	18	16.64	18"	2.51	
A	19	58.86	2-21"	3.45	
A	20	58.86	2-21"	3.45	
A	21	58.86	2-21"	3.45	
A	22	29.43	21"	3.45	
A	23	29.43	21"	3.45	
A	24	19.51	18"	3.45	
A	25	14.85	18"	2	
A	26	14.85	18"	2	
A	27	25.72	2-18"	1.5	
A	28	25.72	2-18"	1.5	
A	29	21	2-18"	1	
A	30	21	2-18"	1	
A	31	33.68	2-18"	2.57	
A	32	33.68	2-18"	2.57	
E	9	7.43	18"	0.5	
E	10	7.43	18"	0.5	
E	11	15.44	18"	2.16	
F	8	13.26	21"	0.7	
F	9	29.64	21"	3.5	
F	10	17.21	21"	1.18	
F	11	17.21	21"	1.18	
G	1	8.79	18"	0.7	
G	2	19.65	18"	3.5	
G	3	11.41	18"	1.18	
G	4	11.41	18"	1.18	
G	5	7.43	18"	0.5	
G	6	15.44	18"	2.16	
G	7	23.29	21"	2.16	
G	8	46.58	2-21"	2.16	
G	9	46.58	2-21"	2.16	
G	10	22.72	2-18"	1.17*	*Contractor to field verify grade
G	11	18.41	21"	1.35*	*Contractor to field verify grade
G	12	21.9	21"	1.91*	*Contractor to field verify grade
G	13	18.16	18"	2.99*	*Contractor to field verify grade
G	14	15.44	18"	2.16	
G	15	7.43	18"	0.5	
G	16	7.43	18"	0.5	
J	1	11.2	21"	0.5	
J	2	11.2	21"	0.5	
J	3	7.43	18"	0.5	
J	4	7.43	18"	0.5	
J	5	7.43	18"	0.5	
J	6	14.13	18"	1.81	
J	7	14.13	18"	1.81	
J	8	21.32	21"	1.81	
J	9	21.32	21"	1.81	
J	10	42.64	2-21"	1.81	
J	11	28.26	2-18"	1.81	
J	12	28.26	2-18"	1.81	
J	13	28.26	2-18"	1.81	
J	14	28.26	2-18"	1.81	